

## CD 43 clone DF-T1


### Instructions for Use

**Specification:**

The anti-CD43 antibody recognizes a cell surface glycoprotein of 95/115/135kDa (depending upon the extent of glycosylation), identified as CD43. 70-90% of T-cell lymphomas and from 22-37% of B-cell lymphomas express CD43. No reactivity has been observed with reactive B-cells. So, a B-lineage population that co-expresses CD43 is highly likely to be a malignant lymphoma, especially a low-grade lymphoma, rather than a reactive B-cell population. When CD43 antibody is used in combination with anti-CD20, effective immunophenotyping of the lymphomas in formalin-fixed tissues can be obtained. Co-staining of a lymphoid infiltrate with anti-CD20 and anti-CD43 argues against a reactive process and favors a diagnosis of lymphoma.

**Availability:**

Catalog No.	Contents	Volume
ILM6693-C01	CD43	0,1 ml concentrate
ILM6693-C05	CD43	0,5 ml concentrate
ILM6693-C1	CD43	1,0 ml concentrate



**Intended use:** For Research Use Only

**Reactivity:** Human

**Clone:** DF-T1

**Species of origin:** Mouse

**Isotype:** IgG1,  $\kappa$

**Control Tissue:** Tonsil

**Staining:** Membranous

**Immunogen:** KG1 cells (myoblast cell line)

**Presentation:** Bioreactor Concentrate with 0.05% Azide

**Application and suggested dilutions:**

Pretreatment: Heat induced epitope retrieval in 10 mM citrate buffer, pH6.0, or in 50 mM Tris buffer pH9.5, for 20 minutes is required for IHC staining on formalin-fixed, paraffin embedded tissue sections.

- Immunohistochemical staining of formalin-fixed, paraffin embedded tissue section (dilution up to 1:100)
- Western blotting (dilution 1:100)

The optimal dilution for a specific application should be determined by the investigator.

**Note:** Dilution of the antibody in 10% normal goat serum followed by a goat anti-mouse secondary antibody-based detection is recommended.

**Storage & Stability:** Store at 2-8 °C. Do not use after expiration date printed on the vial.

**References:**

- 1) Leong A, Cooper K, Leong F. London: Oxford University Press; 1999. p. 91-2.
- 2) Stross WP, Warnke RA, Flavell DJ, Flavell SU, Simmons D, Gatter KC, et al. J Clin Pathol 1989; 42:953-61.
- 3) de Smet W, Walter H, van Hove L. Immunology 1993;79:46-54.